Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations



Date of Issue: 07/12/2017

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture Product Name: MicroCoat

1.2. Intended Use of the Product

Use of the Substance/Mixture: Asphalt surface preservation for driveways, parking lots, roads, bicycle lanes and walking paths.
1.3. Name, Address, and Telephone of the Responsible Party

Company

Blue Line Transportation Co., Inc. 2606 N. Newark St. Portland, OR 97217 USA Phone: 503-279-2600 Fax: 503-279-2621 Email: info@bluelinetrans.com

1.4. Emergency Telephone Number

Emergency Number

: 503-279-2626

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture GHS-US Classification
Not classified
2.2. Label Elements
GHS-US Labeling
No labeling applicable
2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance: Not applicable

Name	Product Identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	40 - 55	Not classified
Asphalt	(CAS-No.) 8052-42-4	20 - 40	Not classified
Clay	(CAS-No.) Proprietary	5 - 10	Not classified
Quartz	(CAS-No.) 14808-60-7	5 - 10	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372
Polymer additive	(CAS-No.) Proprietary	< 3	Not classified
Carbon black	(CAS-No.) 1333-86-4	< 1	Carc. 2, H351 Comb. Dust
Oxirane, methyl-, polymer with oxirane	(CAS-No.) 9003-11-6	< 1	Aquatic Chronic 3, H412
Silica, cristobalite	(CAS-No.) 14464-46-1	< 1	Carc. 1A, H350 STOT RE 1, H372
Tridymite	(CAS-No.) 15468-32-3	< 1	Carc. 1A, H350 STOT RE 1, H372

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: None expected under normal conditions of use.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Prolonged inhalation of dust from the dried product may cause cancer or lung disease. Prolonged inhalation of fumes from thermal decomposition may have long-term adverse effects.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures. Will not ignite until water is driven off. **Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and oxides of sulfur and/or nitrogen. Hydrogen sulfide and other sulfur-containing gases can evolve from this product particularily at elevated temperatures.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable

container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: May release poisonous hydrogen sulfide. Hydrogen sulfide is a highly flammable, explosive gas under certain conditions, is toxic, and may be fatal. Gas can accumulate in the headspace of closed containers, use caution when opening sealed containers. Heating the product or containers can cause thermal decomposition of the product and release hydrogen sulfide.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist, spray, fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Asphalt surface preservation for driveways, parking lots, roads, bicycle lanes and walking paths.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Clay			
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (particulate matter containing no asbestos and <1%	
		crystalline silica, respirable particulate matter)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust)	
		5 mg/m ³ (respirable dust)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m ³ (total dust)	
		5 mg/m ³ (respirable fraction)	
Quartz (1480	18-60-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable particulate matter)	
USA ACGIH	ACGIH chemical category	A2 - Suspected Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (respirable dust)	
USA IDLH	US IDLH (mg/m ³)	50 mg/m ³ (respirable dust)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³	
Silica, cristob	oalite (14464-46-1)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable particulate matter)	
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (respirable dust)	
USA IDLH	US IDLH (mg/m ³)	25 mg/m ³ (respirable dust)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³	
Tridymite (1	5468-32-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.05 mg/m ³ (respirable dust)	
USA IDLH	US IDLH (mg/m ³)	25 mg/m ³ (respirable dust)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³	
Carbon black	(1333-86-4)		
USA ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ (inhalable particulate matter)	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	3.5 mg/m ³	
		0.1 mg/m ³ (Carbon black in presence of Polycyclic aromatic	
		hydrocarbons)	
USA IDLH	US IDLH (mg/m ³)	1750 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m ³	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Asphalt (8052-42-4)			
USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³ (fume, inhalable particulate matter)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen fume, coal tar-free	
USA ACGIH	Biological Exposure Indices (BEI)	Parameter: 1-Hydroxypyrene with hydrolysis - Medium: urine -	
		Sampling time: end of shift at end of workweek (nonquantitative)	
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	5 mg/m³ (fume)	

8.2. Exposure Controls

Appropriate	Engineering	Controls
-------------	-------------	----------

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- **Personal Protective Equipment**
- : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



- Materials for Protective Clothing Hand Protection Eye and Face Protection Skin and Body Protection Respiratory Protection
- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties		
Physical State	: Liquid	
Appearance	: No data available	
Odor	: No data available	
Odor Threshold	: No data available	
рН	: No data available	
Evaporation Rate	: No data available	
Melting Point	: No data available	
Freezing Point	: No data available	
Boiling Point	: No data available	
Flash Point	: No data available	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: No data available	
Relative Vapor Density at 20°C	: No data available	
Relative Density	: No data available	
Solubility	: No data available	
Partition Coefficient: N-Octanol/Water	: No data available	
Viscosity	: No data available	
0.2 Other Information Net additional information		

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and oxides of sulfur and/or nitrogen. Hydrogen sulfide and other sulfur-containing gases can evolve from this product particularily at elevated temperatures.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Clay		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 5000 mg/kg	
Quartz (14808-60-7)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rat	> 5000 mg/kg	
Carbon black (1333-86-4)		
LD50 Oral Rat	> 8000 mg/kg	
Oxirane, methyl-, polymer with oxirane (9003-11-6)		
LD50 Oral Rat	16 g/kg	
LC50 Inhalation Rat	320 mg/m ³ (Exposure time: 4 h)	
Asphalt (8052-42-4)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 94.4 mg/m³	

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Carcinogenicity: Not classified (According to the International Agency for Research on Cancer (IARC), exposure to hot asphalt fumes may be carcinogenic to humans. However, this product is not intended for use at elevated temperatures.)

Quartz (14808-60-7)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Silica, cristobalite (14464-46-1)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Tridymite (15468-32-3)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Carbon black (1333-86-4)		
IARC group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Asphalt (8052-42-4)		
IARC group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Prolonged inhalation of dust from the dried product may cause cancer or lung disease. Prolonged inhalation of fumes from thermal decomposition may have long-term adverse effects.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFOR	MATION	
12.1. Toxicity		
Ecology - General	: Not classified.	
Clay		
LC50 Fish 1	19000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Carbon black (1333-86-4)		
EC50 Daphnia 1	5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)	
12.2. Persistence and Degradat	bility	
MicroCoat		
Persistence and Degradability	Persistence and Degradability Not established.	
12.3. Bioaccumulative Potentia	l l	
MicroCoat		
Bioaccumulative Potential	Bioaccumulative Potential Not established.	
Asphalt (8052-42-4)		
BCF Fish 1 (no bioaccumulation expected)		
Log Pow > 6		
12.4. Mobility in Soil No additio	nal information available	
12.5. Other Adverse Effects		
Other Information	: Avoid release to the environment.	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions. **Ecology - Waste Materials:** Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Clay	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
Quartz (14808-60-7)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
Silica, cristobalite (14464-46-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Carbon black (1333-86-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Oxirane, methyl-, polymer with oxirane (9003	-11-6)
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the
	Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA
	Inventory Data Base Production and Site Reports (40 CFR 710(C)).
Asphalt (8052-42-4)	
Listed and the United Chates TCCA (Table Collector	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carbon black (1333-86-4)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Clay	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	e List
U.S Pennsylvania - RTK (Right to Know) List	
Quartz (14808-60-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	e List
U.S Pennsylvania - RTK (Right to Know) List	
Silica, cristobalite (14464-46-1)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	e List
U.S Pennsylvania - RTK (Right to Know) List	
Tridymite (15468-32-3)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	e List
U.S Pennsylvania - RTK (Right to Know) List	
Carbon black (1333-86-4)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	
U.S Pennsylvania - RTK (Right to Know) - Special Haza	ardous Substances
U.S Pennsylvania - RTK (Right to Know) List	
Asphalt (8052-42-4)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance	e List
U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision	
Other Information	

: 07/12/2017

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 1A	Carcinogenicity Category 1A
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H335	May cause respiratory irritation
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)